

Phonetic Universals – Abstraction vs detail and -etics vs -ology

Julian Bradfield

University of Edinburgh

Whence universals?

Universal(ist)s come in all shapes and sizes – from strong Chomskyan to the weakest of statistical tendencies. Whence do they arise?

- ▶ unambiguously physiological (e.g. human pitch range)
- ▶ artefacts of motor development (prevalence of labials?)
- ▶ apparently phonetically motivated ($([p^h] \rightarrow [f])$)
- ▶ based on general cognitive motivations such as maximise difference between distinct entities

Universals of vowel systems

Where on the scale are the universal tendencies in vowels?

Is detailed phonetics of vowels important?

Or are they a consequence of abstract principles?

de Boer (2001)

Starting point for today: Bart de Boer's thesis.

- ▶ Simulate development of vowel systems among speaker population.

de Boer (2001)

Starting point for today: Bart de Boer's thesis.

- ▶ Simulate development of vowel systems among speaker population.
- ▶ Agents learn by 'imitation game', adjust 'phonemes' to maximize communication success.

de Boer (2001)

Starting point for today: Bart de Boer's thesis.

- ▶ Simulate development of vowel systems among speaker population.
- ▶ Agents learn by 'imitation game', adjust 'phonemes' to maximize communication success.
- ▶ Model builds in substantial articulatory and perceptual detail

de Boer (2001)

Starting point for today: Bart de Boer's thesis.

- ▶ Simulate development of vowel systems among speaker population.
- ▶ Agents learn by 'imitation game', adjust 'phonemes' to maximize communication success.
- ▶ Model builds in substantial articulatory and perceptual detail
- ▶ (but less than originally planned!)

de Boer (2001)

Starting point for today: Bart de Boer's thesis.

- ▶ Simulate development of vowel systems among speaker population.
- ▶ Agents learn by 'imitation game', adjust 'phonemes' to maximize communication success.
- ▶ Model builds in substantial articulatory and perceptual detail
- ▶ (but less than originally planned!)
- ▶ Finds 'natural' systems evolving.

de Boer (2001)

Starting point for today: Bart de Boer's thesis.

- ▶ Simulate development of vowel systems among speaker population.
- ▶ Agents learn by 'imitation game', adjust 'phonemes' to maximize communication success.
- ▶ Model builds in substantial articulatory and perceptual detail
- ▶ (but less than originally planned!)
- ▶ Finds 'natural' systems evolving.
- ▶ Several parameters in model.

de Boer (2001)

Starting point for today: Bart de Boer's thesis.

- ▶ Simulate development of vowel systems among speaker population.
- ▶ Agents learn by 'imitation game', adjust 'phonemes' to maximize communication success.
- ▶ Model builds in substantial articulatory and perceptual detail
- ▶ (but less than originally planned!)
- ▶ Finds 'natural' systems evolving.
- ▶ Several parameters in model.

Question: is the detail necessary?

Abstracting de Boer's model

- ▶ Adopt the general framework (imitation games etc.) – but throw away phonetic detail.
- ▶ Vowels are simply points in 3-D space shaped like the printed vowel chart. (i.e. less front/back space for low vowels, rounding less important)

In more detail

How does the imitation game work?

- ▶ A 'vowel' is just a triple of reals in $[0,1]$. 'Perceptual' distance metric reflects the shape of vowel chart, but nothing else.

In more detail

How does the imitation game work?

- ▶ A 'vowel' is just a triple of reals in $[0,1]$. 'Perceptual' distance metric reflects the shape of vowel chart, but nothing else.
- ▶ Agents start with no vowels (and add a central vowel if required).

In more detail

How does the imitation game work?

- ▶ A 'vowel' is just a triple of reals in $[0,1]$. 'Perceptual' distance metric reflects the shape of vowel chart, but nothing else.
- ▶ Agents start with no vowels (and add a central vowel if required).
- ▶ Randomly they communicate:

In more detail

How does the imitation game work?

- ▶ A 'vowel' is just a triple of reals in $[0,1]$. 'Perceptual' distance metric reflects the shape of vowel chart, but nothing else.
- ▶ Agents start with no vowels (and add a central vowel if required).
- ▶ Randomly they communicate:
 - ▶ S chooses a vowel, 'speaks' it to L (all randomly).

In more detail

How does the imitation game work?

- ▶ A 'vowel' is just a triple of reals in $[0,1]$. 'Perceptual' distance metric reflects the shape of vowel chart, but nothing else.
- ▶ Agents start with no vowels (and add a central vowel if required).
- ▶ Randomly they communicate:
 - ▶ S chooses a vowel, 'speaks' it to L (all randomly).
 - ▶ L matches 'heard' vowel to one of its own, says that back.

In more detail

How does the imitation game work?

- ▶ A 'vowel' is just a triple of reals in $[0,1]$. 'Perceptual' distance metric reflects the shape of vowel chart, but nothing else.
- ▶ Agents start with no vowels (and add a central vowel if required).
- ▶ Randomly they communicate:
 - ▶ S chooses a vowel, 'speaks' it to L (all randomly).
 - ▶ L matches 'heard' vowel to one of its own, says that back.
 - ▶ S communicates 'extra-linguistically' whether it heard what it originally said.

In more detail

How does the imitation game work?

- ▶ A 'vowel' is just a triple of reals in $[0,1]$. 'Perceptual' distance metric reflects the shape of vowel chart, but nothing else.
- ▶ Agents start with no vowels (and add a central vowel if required).
- ▶ Randomly they communicate:
 - ▶ S chooses a vowel, 'speaks' it to L (all randomly).
 - ▶ L matches 'heard' vowel to one of its own, says that back.
 - ▶ S communicates 'extra-linguistically' whether it heard what it originally said.
 - ▶ On success, agents move vowels to be slightly closer to each other.

In more detail

How does the imitation game work?

- ▶ A 'vowel' is just a triple of reals in $[0,1]$. 'Perceptual' distance metric reflects the shape of vowel chart, but nothing else.
- ▶ Agents start with no vowels (and add a central vowel if required).
- ▶ Randomly they communicate:
 - ▶ S chooses a vowel, 'speaks' it to L (all randomly).
 - ▶ L matches 'heard' vowel to one of its own, says that back.
 - ▶ S communicates 'extra-linguistically' whether it heard what it originally said.
 - ▶ On success, agents move vowels to be slightly closer to each other.
 - ▶ On failure, L adds a new vowel based on what it heard.

In more detail

How does the imitation game work?

- ▶ A 'vowel' is just a triple of reals in $[0,1]$. 'Perceptual' distance metric reflects the shape of vowel chart, but nothing else.
- ▶ Agents start with no vowels (and add a central vowel if required).
- ▶ Randomly they communicate:
 - ▶ S chooses a vowel, 'speaks' it to L (all randomly).
 - ▶ L matches 'heard' vowel to one of its own, says that back.
 - ▶ S communicates 'extra-linguistically' whether it heard what it originally said.
 - ▶ On success, agents move vowels to be slightly closer to each other.
 - ▶ On failure, L adds a new vowel based on what it heard.
- ▶ After many interactions, look at agents' 'vowel spaces'.

For example . . .

- ▶ 20 agents for 10000 interactions, parameters set to merge articulatory nearby vowels (in a cube). [Run](#).
- ▶ The same, but vowels merged in perceptual space (vowel chart). [Run](#).
- ▶ The same, with stronger mutual accommodation between speakers. [Run](#).

For example . . .

- ▶ 20 agents for 10000 interactions, parameters set to merge articulatory nearby vowels (in a cube). [Run](#).
- ▶ The same, but vowels merged in perceptual space (vowel chart). [Run](#).
- ▶ The same, with stronger mutual accommodation between speakers. [Run](#).

These are not obviously less ‘realistic’ than the original systems. So does the detail matter? Maybe not.

For example . . .

- ▶ 20 agents for 10000 interactions, parameters set to merge articulatory nearby vowels (in a cube). [Run](#).
- ▶ The same, but vowels merged in perceptual space (vowel chart). [Run](#).
- ▶ The same, with stronger mutual accommodation between speakers. [Run](#).

These are not obviously less ‘realistic’ than the original systems.

So does the detail matter? Maybe not.

But what about more complex vowel systems? Future work...

Now for something different . . .

Phonetic vs phonological universals

Many universalist phonologists believe in features (*à la SPE*).

Features are phonology . . .

Recent study by Boersma and Chládková connected feature structure and vowel perception maps.

Boersma and Chládková 2010

Simulation framework is agents learning a 5-vowel system via an OT phonological grammar in Boersma's interconnecting module version.

- ▶ Learners learning points in vowel space have 'diagonal' perceptual boundaries between vowels.

Boersma and Chládková 2010

Simulation framework is agents learning a 5-vowel system via an OT phonological grammar in Boersma's interconnecting module version.

- ▶ Learners learning points in vowel space have 'diagonal' perceptual boundaries between vowels.
- ▶ Learners learning categorical features (high/back etc) have horiz./vert boundaries.

Boersma and Chládková 2010

Simulation framework is agents learning a 5-vowel system via an OT phonological grammar in Boersma's interconnecting module version.

- ▶ Learners learning points in vowel space have 'diagonal' perceptual boundaries between vowels.
- ▶ Learners learning categorical features (high/back etc) have horiz./vert boundaries.
- ▶ In reality, the latter happens (Savela 2009).

Boersma and Chládková 2010

Simulation framework is agents learning a 5-vowel system via an OT phonological grammar in Boersma's interconnecting module version.

- ▶ Learners learning points in vowel space have 'diagonal' perceptual boundaries between vowels.
- ▶ Learners learning categorical features (high/back etc) have horiz./vert boundaries.
- ▶ In reality, the latter happens (Savela 2009).
- ▶ They suggest this is evidence for features.

Moreover ...

B&C on Spanish and Czech

- ▶ Spanish and Czech both have classic 5-vowel systems.

B&C on Spanish and Czech



- ▶ Spanish and Czech both have classic 5-vowel systems.
- ▶ But phonology suggests Czech /a/, /e/ are [back] and [front], but Spanish /a/, /e/ are [central]

B&C on Spanish and Czech

- ▶ Spanish and Czech both have classic 5-vowel systems.
- ▶ But phonology suggests Czech /a/, /e/ are [back] and [front], but Spanish /a/, /e/ are [central]
- ▶ which (per previous) should affect perceptual boundaries.



B&C on Spanish and Czech

- ▶ Spanish and Czech both have classic 5-vowel systems.
- ▶ But phonology suggests Czech /a/, /e/ are [back] and [front], but Spanish /a/, /e/ are [central]
- ▶ which (per previous) should affect perceptual boundaries.



B&C on Spanish and Czech



- ▶ Spanish and Czech both have classic 5-vowel systems.
- ▶ But phonology suggests Czech /a/, /e/ are [back] and [front], but Spanish /a/, /e/ are [central]
- ▶ which (per previous) should affect perceptual boundaries.



- ▶ This is what the simulation does with Czech and Spanish featurally specified targets.

B&C on Spanish and Czech

- ▶ Spanish and Czech both have classic 5-vowel systems.
- ▶ But phonology suggests Czech /a/, /e/ are [back] and [front], but Spanish /a/, /e/ are [central]
- ▶ which (per previous) should affect perceptual boundaries.



- ▶ This is what the simulation does with Czech and Spanish featurally specified targets.
- ▶ It's also what B&C find in real speakers!

But is there a phonetic explanation?

We set up a simulation using learning via imitation game again, but:

- ▶ We distinguish children from adults (don't learn) and have a dynamic population.
- ▶ The agents have a richer notion of vowel: articulatory prototype, and perceptual regions (convex polygons extended as they hear new exemplars).
- ▶ But the vowels are still simple and abstract (no phonetic detail, just F_1 and F_2).

But is there a phonetic explanation?

We set up a simulation using learning via imitation game again, but:

- ▶ We distinguish children from adults (don't learn) and have a dynamic population.
- ▶ The agents have a richer notion of vowel: articulatory prototype, and perceptual regions (convex polygons extended as they hear new exemplars).
- ▶ But the vowels are still simple and abstract (no phonetic detail, just F_1 and F_2).

We seed the initial adult population with Czech or Spanish articulatory prototypes, and ask:


Is it stable? What are the perceptual boundaries do the agents develop?

Four simulations


All specified by initial articulatory prototypes:

- ▶ A pure 5-vowel system [Run](#).
- ▶ with slightly raised e,o [Run](#).
- ▶ A Spanish 5-vowel system [Run](#).
- ▶ A Czech 5-vowel system [Run](#).

S:





C:



Four simulations

All specified by initial articulatory prototypes:

- ▶ A pure 5-vowel system [Run](#).
- ▶ with slightly raised e,o [Run](#).
- ▶ A Spanish 5-vowel system [Run](#).
- ▶ A Czech 5-vowel system [Run](#).



appropriate different perceptual boundaries can arise as purely emergent phonetic consequences of vowel positions – no features in sight!