


Image processing in Matlab: Distribution of pixel values

Robert B. Fisher
School of Informatics
University of Edinburgh

Image and ?




Slide 1/10

Slide credit: Bob Fisher

Slide 2/10

Slide credit: Bob Fisher


Matlab for image read and display



```
% loads a given image
function newimage = myjpgLoad(name, show)
newimage = double(imread(name, 'jpg'));
if show > 0
    figure(show)
    colormap(gray)
    imagesc(newimage)
end
```

Can also use emacs on *.m files in another window.

Results figure output



Use File -> Export to save *.eps files for ?
and documents

Slide 3/10

Slide credit: Bob Fisher

Slide 4/10

Slide credit: Bob Fisher

?

in command window

```
bigF = myjpgload('partbigF',3);  
[H,W] = size(bigF)  
  
H =  
384  
  
W =  
510  
  
figure(3) % what the '3' above does  
colormap(gray) % "  
imagesc(bigF) % "
```

Slide 5/10

Slide credit: Bob Fisher


bigF ?

```
thehist = zeros(256,1);  
[H,W] = size(bigF);  
for r = 1 : H  
    for c = 1 : W  
        value = round(bigF(r,c));  
        if value < 0 % array goes 1:256  
            value = 0; % but image goes 0:255  
        elseif value > 255  
            value = 255;  
        end  
        thehist(value+1) = thehist(value+1) + 1;  
    end  
end
```

Slide credit: Bob Fisher

Slide 6/10

```
figure(4)  
plot(thehist)  
axis([0, 255, 0, 1.1*max(thehist)])
```



?

Output

Why not 2 big peaks?

Slide 7/10

Slide credit: Bob Fisher

Slide 8/10

Slide credit: Bob Fisher

histc histogram

```
% set up bin edges for histogram  
edges = zeros(256,1);  
for i = 1 : 256  
    edges(i) = i-1;  
end  
[R,C] = size(bigF);  
imagevec = reshape(bigF,1,R*C); % make long array  
thehist = histc(imagevec,edges)'; % do histog.
```

```
figure(1)  
plot(thehist)  
axis([0, 255, 0, 1.1*max(thehist)])
```

Lecture Overview

- Some simple Matlab for image loading and figures
- of image values
- Why histograms can be messy