

Author Index

- Abdou, I. E.**, 76, 77, 84
Abelson, R. P., 322, 334
Abramowitz, M., 496
Adams, J. A., 496
Aggarwal, J. K., 208, 216, 220
Agin, G. J., 52, 54, 277, 278
Aho, A. V., 359, 502
Aikens, J. S., 407
Akatsuka, T., 79
Ambler, A. P., 237, 346, 359, 366, 370, 375, 439
Anderson, J. R., 320
Andrews, H. C., 40, 65, 496
Apostol, T. M., 496
Ashkar, G. P., 133, 137
Astrahan, M. M., 501
Attneave, F., 75
- Badler, N. I.**, 216, 217, 219, 220, 280
Bajcsy, R., 184, 188, 400, 401, 274, 280
Ballard, D. H., 125, 128, 136, 139, 141, 244, 270, 271, 272, 273, 321, 335, 344, 355, 439, 446, 502
Barnard, S. T., 208
Barnhill, R. E., 239, 242, 265
Barrow, H. G., 63, 141, 161, 238, 318, 354, 362, 376, 410, 413
Bartlett, F. C., 343
Baumgart, B. G., 266
Bellman, R., 137
Bentley, J. L., 281
Berge, C., 357
Berztiss, A. T., 358
Binford, T. O., 89, 274, 335
Birney, S., 34
- Birtwhistle, G.**, 501
Bitner, J. R., 364
Blinn, J., 95
Blum, H., 252
Bobrow, D. G., 334, 501
Boggess, L., 320
Bolles, R., 121, 319, 343, 446
Bower, G. H., 320
Boyse, J. W., 282, 285, 289
Brachman, R. J., 323, 326, 331, 396
Braunstein, M. L., 206
Bribiesca, E., 259
Brice, C., 157, 158, 236
Brodatz, P., 166, 186
Bron, C., 359
Brooks, R. A., 335
Brown, C., 255, 271, 285, 430, 496
Buchanan, B. G., 407
Buckhout, R., 343
- Chakravarty, I.**, 301
Charniak, E., 505
Chasen, S. H., 495
Chen, C. C., 80
Chien, Y. P., 136, 142
Chow, C. K., 152
Clinton, J. D., 271, 496
Clocksin, W. F., 196, 202, 206
Clowes, M. B., 296
Collins, A., 384
Connors, R., 170
Conte, S. D., 496
Coons, S. A., 269

- Corneil, D. G., 358, 359
Cover, T. M., 182
Crowther, R. A., 59
- Davis, L. S.**, 378, 408
Davis, R., 398
deBoor, C., 239, 242, 496
DeGroot, M. H., 445
DeRosier, D. J., 57, 59
Deliyanni, A., 390
Doyle, J., 347
Dreyfus, S., 137
Duda, R. O., 30, 123, 144, 208, 220, 234, 496
- Eisenbeis, S. A.**, 155
Ejiri, J., 292
Elliott, G. L., 365
ElschLAGER, R. A., 142, 360
Erman, L. D., 400, 505
- Fahlman, S. E.**, 322, 439, 500
Falk, G., 292
Faux, I. D., 496
Feigenbaum, E. A., 407
Feldman, J. A., 157, 161, 163, 412, 439, 445, 446, 500, 501
Fennema, C. L., 157, 158, 236
Fikes, R. E., 395, 396, 397, 439
Findler, N. V., 323
Fischler, M. A., 141, 360
Floyd, R. W., 499
Fodor, J. D., 320
Forrest, A. R., 265
Freeman, H., 211, 235, 236
Frei, W., 80
Freuder, E. C., 322, 413, 430
Fu, K. S., 136, 142, 172, 173, 176, 181, 238
Fukunaga, K., 181
Funt, B. V., 322
- Gallus, G.**, 236
Garfinkel, R. S., 429
Garvey, T. D., 54, 319, 439, 446, 449, 452, 453
Gelernter, H., 322
Geschwind, N., 342
Gibson, J. J., 168, 189, 196
Gips, J., 173
Goldberg, A., 501
Goldstein, I. P., 334
Gombrich, E. H., 343
Gomory, R. E., 429
Gonzalez, R. C., 25, 65, 181
Gordon, R., 56
Gordon, W. J., 243
Gotlieb, C. C., 358, 359
- Graham, M., 206
Gramiak, R., 54
Granrath, D. J., 31
Greenberg, D., 33
Gregory, R. L., 343
Griffith, A. K., 81
Guzman, A., 259, 294
- Hall, E. L.**, 186
Hannah, M. J., 68, 89
Hanson, A. R., 111, 150, 153, 161, 505, 506
Haralick, R. M., 184, 186, 360, 365, 408, 410
Harary, F., 357
Harlow, C. A., 155
Hart, P. E., 30, 123, 144, 208, 234, 496
Hayes, P. J., 334, 384, 393, 396, 440
Hayes, Philip J., 331, 334
Hayes-Roth, F., 397, 399, 504
Helmholtz, H. von, 196, 319, 348
Hendrix, G. G., 323, 331, 334, 396
Henschen, L., 434
Herbrand, J., 389
Herman, G. T., 56, 146
Hewitt, C., 322, 396, 397, 499, 500
Hinton, G. E., 335, 420, 425
Hodgeman, C. D., 496
Hopcroft, J. E., 172, 359
Horn, B. K. P., 22, 23, 74, 93, 95, 104, 196, 496
Horowitz, S. L., 157, 233
Hough, P. V. C., 124
Hubel, D. H., 80
Hueckel, M. H., 76
Huffman, D. A., 296
Hummel, R. A., 82, 420, 430
Hunt, B. R., 65, 40
Hurwich, L. M., 34
- Ikeuchi, K.**, 93, 99, 100
- Jackins, C. L.**, 281
Jain, A. K., 18
Jain, R., 222
Jameson, D., 34
Jayaramamurthy, S. N., 179
Joblove, G. H., 33
Johansson, G., 210, 215
Johnson-Laird, P. N., 319, 320, 321
Joshi, A. K., 400
Julesz, B., 169
- Kak, A. C.**, 17, 25, 39, 76, 144, 153, 252, 496
Kanade, T., 300, 306
Kane, J., 496
Kaneko, T., 152

- Kartus, J. S., 410
Kay, A., 501
Kelly, M. D., 121
Kender, J. R., 33, 169, 191
Kerbosch, J., 359
Kibler, D. P., 233
Kimme, C., 124, 125
King, J., 398
Kirsch, R. A., 79
Klug, A., 59
Knodel, W., 359
Knuth, D. E., 108, 498
Kosslyn, S. M., 320
Kowalski, R. A., 388, 390, 394, 396
Kruger, R. P., 186, 258
- Lakatos, I.**, 267
Land, E. H., 34
Lantz, K. A., 125
Laws, K. I., 166, 185, 186
Lawton, D. T., 196, 199, 213, 214
Lee, D. N., 196, 206
Lee, Y. T., 287
Lehnert, W., 334
Lesser, V. R., 400, 505
Lester, J. M., 133, 136
Levine, M. D., 111
Lieberman, L., 184, 188
Lindsay, R. K., 407
Lishman, J. R., 196, 206
Liu, H. K., 82, 146
Loomis, J. M., 196
Loveland, D., 388, 390
Lozano-Perez, T., 319
Lu, S. Y., 173, 176
- Mackworth, A. K.**, 291, 295, 301, 303, 439
Maleson, J. T., 188
Markovsky, G., 211, 289, 292
Marr, D., 90, 91, 93, 119, 252, 282
Martelli, A., 132, 143, 145
Martin, W. N., 220
McCarthy, J., 384, 395, 396, 440
McCulloch, W. S., 344
McDermott, D., 322, 325, 394, 396, 499
Mendelson, E., 383
Mero, L., 76
Merrill, R. E., 248
Milgram, D. L., 178
Minsky, M. L., 334, 335, 400
Mitchell, T. M., 407
Modestino, J. W., 133, 137
Montanari, U., 139
Moore, J., 334
Moore, R. C., 330
- Moravec, H. P., 69, 89, 107, 208
Munsell, A. H., 33
- Nagel, H.-H.**, 222
Nahin, P. J., 256
Nakayama, K., 196
Neisser, U., 343
Nemhauser, G. L., 429
Neurath, P. W., 236
Nevatia, R., 76, 335, 370, 372
Newell, A., 334, 390
Newman, W. M., 495
Nicodemus, F. E., 23
Nilsson, N. J., 132, 157, 320, 323, 331, 365, 387, 388, 390, 396, 397, 440, 446
Nishihara, H. K., 264, 282
Nitzan, D., 54
- O'Connell, D. N.**, 210
Ohlander, R., 153
O'Neill, B., 276
O'Rourke, J., 216, 217, 280
Osteen, R. E., 359
- Palmer, S. E.**, 320
Papert, S., 144
Paton, K. A., 239
Pavlidis, T., 109, 157, 233, 253, 254, 496
Pennington, K. S., 52
Persoon, E., 136, 238
Phong, B. T., 95
Pingle, K. K., 81
Poggio, T., 90, 91, 93
Pomerantz, J. R., 320
Popplestone, R. J., 52, 238, 362, 376
Potter, J. L., 220
Prager, J. M., 85, 196, 198, 199
Pratt, M. J., 496
Pratt, W. K., 17, 25, 65, 84, 181, 496
Prazdny, K., 196, 206
Prewitt, J. M. S., 77
Price, K. E., 221, 335
Pylyshyn, Z. W., 320
- Quam, L.**, 68, 89
Quillian, M. R., 323
- Raiffa, H.**, 445, 446
Ralston, A., 496
Ramer, U., 133
Raphael, B., 501
Rashid, R. F., 216, 217
Reddy, R., 221

- Reingold, E. M., 359, 364
Reiter, R., 395, 396
Requicha, A. A. G., 231, 254, 265, 282, 287, 289, 291
Riesenfeld, R. F., 239, 242, 265
Riseman, E. M., 111, 150, 153, 161, 505, 506
Roache, J. W., 216
Roberts, L. G., 76, 77, 234, 235, 292
Roberts, R. B., 334
Robertson, T. V., 153
Robinson, J. A., 383, 389
Rogers, B., 206
Rogers, D. F., 496
Rosenfeld, A., 17, 25, 39, 64, 76, 144, 153, 178, 252, 408,
 415, 416, 496
Rumelhart, D. E., 334
Russell, D. L., 100
Russell, D. M., 335
Rychner, M., 400
- Sacerdoti, E. D., 439
Samet, H., 249, 251
Schank, R. C., 320, 322, 334
Schiff, W., 196
Schneier, M., 251
Schubert, L. K., 323
Schudy, R. B., 270, 271, 272, 273, 355
Schunck, B. G., 104, 196
Schwartz, S. P., 320
Selfridge, P. G., 122
Selfridge, O., 345, 505
Shani, U., 274, 277, 279
Shapira, R., 89, 211, 292
Shapiro, L. G., 360, 408
Shepard, R. N., 320
Shirai, Y., 81, 233, 292, 346, 439
Shortliffe, E. H., 407, 453
Sjoberg, R. W., 22, 23, 94
Sklansky, J., 79, 125, 136, 233, 258
Sloan, K. R., 401
Sloman, A., 320
Smith, A. R., 33
Smith, B., 501
Smoliar, S. W., 219
Snyder, W. E., 195
Sobel, I., 496
Soroka, B. I., 274
Sproull, R. F., 439, 445, 446, 495, 500
Stallman, R. M., 347
Stefik, M., 334
Stegun, I. A., 496
Steiglitz, K., 107
Stevens, K. A., 168, 191
Stiny, G., 173
Stockham, T. J., Jr., 74
- Sugihara, K., 52, 301
Sussman, G. J., 322, 347, 396, 439, 442, 499
- Tamura, H., 188
Tanimoto, S. L., 109, 281
Tate, A., 439
Teevan, 34
Tenenbaum, J. M., 33, 63, 81, 161, 318, 410, 413
Thompson, W. B., 207, 208
Tilove, R. B., 284
Tomek, I., 233
Tou, J. T., 181, 359
Tretiak, O. J., 76
Tsotsos, J. K., 207
Turner, K. J., 89, 234, 239, 292, 299, 301, 433
- Ullman, J. D., 172, 359
Ullman, J. R., 358, 359, 360
Ullman, S., 210, 212
- Vassy, Z., 76
Voelcker, H. B., 254, 282, 285, 289, 291
- Waag, R. B., 54
Wallach, H., 210
Waltz, D. A., 299, 320
Warnock, J. G., 287
Warren, D. H. D., 394, 439
Waterman, D. A., 397, 399, 504
Wechsler, H., 79, 125, 136
Wesley, M. A., 211, 289, 292, 319
Weszka, J. S., 181
Wexler, C., 496
Weyl, S., 33
Whitted, T., 95
Wiesel, T. N., 80
Wilks, Y., 334
Will, P. M., 52
Winograd, T., 322, 334, 384, 395, 396
Winston, P. H., 333, 370
Wintz, P., 25, 65
Woodham, R. J., 93, 98
Woods, W. A., 323
Wu, S., 243
- Yakimovsky, Y., 157, 161, 163, 412, 446
Young, I. T., 256
- Zadeh, L., 422, 423
Zucker, S. W., 82, 85, 150, 172, 408, 420, 430

Subject Index

A Algorithm, 132

- A priori probabilities in plan scoring, 449
- Abstraction in knowledge representation, 320, 505
- Acting and planning cycle, 315, 347
- Action:
 - frame problem, 444
 - plans, 441, 446
- Active:
 - imaging, 14
 - knowledge, 384, 430–434
- Algorithm:
 - A, 132
 - boundary evaluation for solids, 288–291
 - correlation by binary search, 108
 - directed graph isomorphism by backtrack search, 364
 - discrete labeling, 410–415
 - edge detection by dynamic programming, 140
 - edge detection, hierarchical, 109
 - edge relaxation, 85
 - ellipse detection with Hough algorithm, 127
 - fast Fourier transform, 490–492
 - generalized Hough algorithm, 129
 - heuristic search, 132
 - line detection with Hough algorithm, 123
 - mass properties of solids, 285–286
 - medial axis transformation, 252
 - multiframe optical flow calculation, 105
 - nondeterministic for graphs, 359
 - optical flow by relaxation, 104
 - piecewise linear curve segmentation, 234
 - quad tree generation, 250
 - region boundary melting, 159
 - region growing, semantic, 162

region growing by blob coloring, 151

- region merging with adjacency graph, 160
- region splitting, recursive, 153
- region splitting and merging, 157
- set membership classification, 284
- shape from shading, 100
- shape number calculation, 260
- solid to surface representation conversion, 290
- stereopsis, 91
- strip tree curve-region intersection, 247
- strip tree generation, 244
- strip tree intersection, 245
- tumor detection, 345
- Aliasing, 41
- Ambiguity in grammars, 172
- Analog-digital conversion, 50
- Analogical models (*See* Knowledge representation, analogical and proportional)
- And-or trees as plans, 453–459
- Aperiodic correlation, 67
- Applications of computer vision, 12
- Arcs in semantic nets, 324
- Area:
 - chain code, 235–236
 - cross section of generalized cone, 278
 - in location networks, 336
 - polygon, 235
 - quad trees, 251
 - region, 254
- Array grammar, 178–181
- Association graph, 358, 365–369
- Associative recall, 334
- Asynchronous relaxation, 412

- Atomic formula in logic, 384
 Attention, control of, 340
 Automated inference systems, 396
- B-spline**, 239–243
 Background subtraction:
 low-pass filtering, 72
 spline surface, 72
 Backtrack search, 363–365, 372–375
 automatic, 499
 variations and improvements, 364–365
 Backward chaining, 342, 399
 Bandlimited signal, 41
 Basis for color space, 33–35
 Bayes' rule, 449 (*See also* Decision, theory and planning)
 Bayesian decisions and region growing, 162
 Belief maintenance, 319, 346
 Bending energy of curve, 256
 Binary search correlation, 108
 Binary tree, 244
 Binocular imaging, 20–22 (*See also* Stereo vision)
 Binormal of space curve, 276
 Blackboard, 505
 Blob finding, 143–146, 151
 Block stacking, 322, 438–443
 Blocks world:
 vision, 291
 structure matching, 370–372
 Bottom-up (*See* Control; Inference)
 Boundary, 75, 265
 conditions for B-splines, 241
 detection, 119–148
 in binary images, 143
 divide and conquer, 122
 dynamic programming, 137–143
 Hough algorithm, 123–131
 evaluation, 288–291
 as graph, 131
 representations, 232–247, 265–274
 Branch and bound search:
 backtracking improvement, 364
 for boundaries, 136
 Breakpoints in linear segmentation, 232
- Calculus, predicate** (*See* Predicate logic)
- Camera model and calibration, 481–484
 Cartesian coordinate system, 465
 CAT imagery, 1, 56–59
 Cell decomposition volume representation, 281
 Centroid of volume, 285
 Chain code, 235–237, 256, 258
 area calculation, 236
 derivative, 236
 merging, 236
- normalized, 236
 Chamfer matching, 354
 Charge transfer devices, 49
 Chessboard metric, 39
 Chest radiograph understanding, 321, 344–346
 Chromaticity diagram, 37
 Chunks of knowledge, 334
 Circular arcs, 237
 City block metric, 38
 Classification:
 in pattern recognition, 181–184
 set membership, 284
 tree for regions, 163
 Clause form of predicate logic, 384
 Clique, and use in matching, 358, 366–369, 375
 Closed curves, 246
 Closure operator for sets, 282
 Clustering:
 motion detection, 217
 parametric and non-parametric for pattern
 recognition, 181–183
- Co-routining, 498 (*See also* Control)
- Coherence:
 of knowledge representation, 320
 rule for line-drawing interpretation, 297
- Collision detection with optic flow, 201
- Color, 31–35
 bases, 33–34
 -space histograms, 153–155
- Comb, dirac, 19, 40
- Combining operators for volumes, 282
- Compactness of region, 256
- Completeness of inference system, 389
- Complexity of graph algorithms, 359
- Component, r-connected, 369, 380
- Computer as research tool, 9
- Concave line label, 296
- Concavity tree of region, 258
- Cone, generalized (*See* Generalized, cone)
- Confidence:
 planning, 415 (*See also* Supposition value in relaxation)
 region growing, 164
- Conic, 239, 488–489
- Conjunctive normal form for logic, 388
- Connect line label, 303
- Connected:
 component of graph, 369, 380
 region, 150, 255
- Connectives of logic, 385
- Connectivity:
 difference, 375
 image, 36
 matching, 372–375
- CONNIVER, 322
- Consolidation 102, (*See also* Pyramid)
- Constraint (*See also* Relaxation)

- inconsistency, 427
 as inequality in linear programming, 423
 labeling, 408–410
 n-ary, 410
 propagation, 299, 413–415
 relaxation, 408–430
 satisfaction for belief maintenance, 347
 semantic, on region-growing, 160–164
Constructive solid geometry
 volume representation, 282
Context:
 data base, 440
 switching, 500
Continuity of knowledge representation, 320
Contour:
 following, 143–146
 occluding, 101
Contrast enhancement, 71
Control, 315, 340–350, 497–502
 bottom-up or data-driven, 341, 344–346
 hierarchical and heterarchical, 341–346
 in knowledge representations, 317
 message passing, 501
 mixed top-down and bottom-up, 344–346
 structures, standard and nonstandard, 497–500
 top-down, 342, 343–346
Convergence of relaxation algorithms, 414, 418
Conversions, logic to semantic nets, 332
Convex:
 decomposition of region, 253
 line label, 296
 region, 258
Convolution, 25, 68
 theorem, 30
Cooperative algorithms, 408–430
Coordinate systems, definitions and conversions, 465–468
Correctness of inference system, 389
Correlation, 25, 30, 66–70
 binary search, 108
 coefficient, 419
 metrics, 362
 non-linear for edge linking, 121
 normalized, 68–70
 periodic and aperiodic, 67
 texture, 187
Correspondence problem, 89
Cost:
 of planning, 452
 in plans, 445–459
Crack edges, 78
Curvature:
 boundary, 256
 in evaluation function, 133
 space curve, 276
Curve 231:
 detection, Hough algorithm, 126
 fitting, 487
 intersection, 247
 segmentation techniques, 233–234
Cutting planes in linear programming, 428
Cylinder, generalized, 274–280
Cylindrical coordinate system, 466
- Data:**
 base, 398, 431, 440
 -driven control, 341–346
 fitting, 239, 484–488
 nodes in location networks, 336, 338
 structure for boundaries, 158
- Decision:**
 theory and planning, 446–453
 trees for matching, 370–377
- Decomposition:**
 region, 253
 solid, 287
- Default values in knowledge representations**, 330, 334–335
- Delete list**, 440
- Delta function**, 18–19, 40
- Demon**, 412, 429, 505
- DeMorgan's laws**, 387
- Densitometer**, 46
- Density of image**, 44, 74
- Dependence**, gray-level, 186–188
- Depth:**
 -first search and variations, 136, 363–365, 372, 412
 from optic flow, 201
- Determinant**, 473
- Difference measurement in motion**, 221
- Digital images**, 35–42
- Digitizers**, image, 45
- Dirac Comb**, 19, 40
- Direction-magnitude sets**, 270
- Discrete:**
 images, 35–42
 knowledge representation, 320
 labeling algorithms, 410–415
- Disparity**, 21, 89, 208
- Dispersion of knowledge representation**, 320
- Distance:**
 on discrete raster, 36
 image (*See* Image, range)
- Distortion, perspective** (*See* Projection, perspective)
- Divergence theorem for mass properties**, 288
- Divide and conquer:**
 algorithms for CSG, 285
 method for boundary detection, 122
- Domain-dependent and -independent motion understanding**, 196–199, 214–219
- Drum scanner**, 46

- Dual graph, 159
 Dynamic programming and search, 137–143
- Early processing**, 63–65
 Eccentricity of region, 255
 Edge, 75
 detection
 in binary images, 143–146
 from optic flow, 202–206
 in pyramids, 109
 following, 131–146
 as blob finding, 143–146
 as dynamic programming, 137–143
 as graph search, 131–143
 labels, 296–297
 linking, 119–131
 known approximate location, 121–122
 problems with, 119–120
 Hough algorithm, 123–131
 operator, 64, 75–88
 gradient, 76–80
 Kirsch, 79
 Laplacian, 76–79
 performance, 77, 83–84
 relaxation, 85–88
 templates, 79
 3-D performance, 81–83
 profiles, 75
 representation for surfaces, 266
 strength in evaluation function, 133
 thresholding, 80
 Eigenvalues and eigenvectors, 473, 486–487
 Element, texture, 166
 Elongation of region, 255
 Enclosing surface, 265
 Energy, texture, 187
 Engineering:
 drawings, 291
 knowledge, 407
 Entropy, texture, 187
 ERTS imagery, 46
 Euclidean metric, 38
 Euler number of region, 255, 266
 Evaluation:
 function for heuristic search, 133
 mechanism in semantic networks, 337
 Existential quantifiers, 385
 Extended inference, 315, 319, 322, 383, 395–396
 Extensional concepts in knowledge representation, 328
- Faces**, 271
 for surface representation, 265, 271
- Feature**
 classification and matching, 376–378
- texture, 184–186
 vectors and space, 181
 Field, television, 46
 Figure-ground distinction, 4
 Filtering, 25, 64–75
 First order predicate logic (*See* Predicate logic)
 Fitting data (*See* Data, fitting)
 Flat-bed scanner, 46
 Flying spot scanner, 45
 Focal length, 19, 479
 Focus of expansion in optical flow, 199
 Formal inference system, 390
 Forward chaining, 342, 399
 Fourier
 descriptors, 238
 filtering, 65
 transform, 24–30, 490–492
- Frame**:
 problem, 395, 444
 system theory, 334–335
- Frenet frame and formulae, 276
- Function**:
 image, 18–19
 logic, 385
 Skolem, 387
- G-Hough algorithm**, 128
- Gamma, film, 45
 Gaussian sphere, 101, 270
- Generalized**:
 clipping, 284
 cone, 274–280
 matching to data, 278, 372–375
 cylinder (*See* Generalized, cone)
 image, 6, 14, 320
- Geodesic tessellation, 271, 493
- Geometric**:
 matching, 354
 operations in location networks, 336
 relations and propositions, 332
 representations, 8, 227–311
 structures and matching, 354
 transformations, 477–481
- Geometry theorem prover, 322
- Gestalt psychology, 116
- Goal achievement, 319, 346–347, 438–439
- Goodness of fit, 273
- Gradient**:
 edge operator, 76–80
 space, 95, 301
 techniques, 355
 texture, 168, 189–193
 use in Hough algorithm, 124
- Grammar**:
 ambiguous, 172

- array, 178–181
- on pyramid, 179
- shape, 173–174
- stochastic, 172
- texture, 172–181
- tree, 175–178
- Graph** 131:
 - adjacency for regions, 159
 - algorithms, complexity, 359
 - association, 358, 365–369
 - dual, 159
 - isomorphism, 357–359, 364
 - matching, 355
 - r-connected component, 369, 380
- Gray level**, 18, 23, 35
 - dependence matrices for texture, 186–188
- Grazing incidence**, 111

- H&D curve**, 44
- Heart volume**, 273
- Hierarchical control**, 341–346, 499
- Heuristic search**:
 - boundaries, 131–133
 - dynamic programming, 143
 - region growing, 157
- Hierarchical** (*See also* **Pyramid**)
 - abstractions, 505
 - control, 341–346
 - textures, 170
- High-level**:
 - models, 317
 - motion detection, 196–199
 - vision, 2–6
- Hill-climbing and matching**, 355
- Histogram**, 70
 - equalization and transformation, 70
 - splitting for thresholds, 152
 - color space, 153–155
- Homogeneous**:
 - coordinate system, 467
 - regions, 150
 - texture, 188
- Hough algorithm**, 123–131
 - generalized, 128–131
 - refinements, 124
 - vanishing points, 191
- Human body** for motion understanding, 214–219
- Hungry monkey planning problem**, 445
- Hypotheses**, 343, 384, 422
 - active knowledge, 431
- Hypothetical worlds**, 432, 440

- Iconic structures and matching**, 353
- Icosahedron**, 492
- IHS color basis**, 33
- Image** (*See also* **Imaging**)
 - aerial, 1, 335
 - CAT, 1, 56–59
 - connectivity, 36
- digital**, 35–42
- digitizers**, 45
- distance on raster**, 36
- edges**, 75–88
- ERTS or LANDSAT**, 46
- formation**, 17
- function**, 18–19
- generalized**, 6, 14, 320
- histogram**, 70
- intrinsic**, 7, 14, 63
- irradiance**, 23, 73
- orthicon**, 47
- plane**, 19
- processing**, 2, 17, 25
- range**, 52–56, 64, 88
- sampling**, 18, 35
- segmented**, 7
- sequence understanding**, 207–222
- ultrasound**, 54
- variance**, 69
- Imaging**:
 - active, 14
 - devices, 42–59
 - geometry, 19–21
 - light stripe, 22
 - model, 17–42
 - monocular and binocular, 19–22
 - stereo, 20–22, 52–54, 88–93, 98
- Inconsistent labeling**, 410 (*See also* **Labeling**)
- Indexing** property of semantic nets, 324
- Inequalities** in linear programming, 422, 427
- Inference**, 314, 319–321, 383
 - bottom-up and top-down, 392
 - extended, 315, 319, 322, 383, 395
 - rules of, 388
 - in semantic nets, 327
 - systems, formal and informal, 390
 - sylogistic, 321
- Infinity**, point at, 20
- Informal inference system**, 390
- Inheritance** of properties in knowledge representation, 330, 335
- Inhibitory local evidence** in line drawings, 295
- Intensional concepts** in knowledge representation, 328
- Interaction graph** for dynamic programming, 143
- Interest operator**, 69, 208
- Interior operator**, 282
- Interpolation**, 489–490
- Interpretation**:
 - matching, 352
 - region-growing, 160–164
- Interpreter**
 - production system, 398–399
 - semantic net, 326, 339
- Intersection** of strip trees, 244
- Interval**, sampling, 35
- Intrinsic**:
 - image, 7, 14, 63
 - parameters, 63

- Inverse:
 perspective (*See* Projection)
 relations, 331
- Irradiance, image, 23, 73
- Isomorphism, graph and subgraph, 357–359, 364
- Iterative region merging with semantics, 163
- Job queue**, 502–504
- Kd-tree**, 281, 287
- Knowledge**:
 base, 317, 318–323
 chunking, 334
 engineering, 407
- Knowledge representation, analogical and propositional, 9, 314, 319–322 (*See also* Active knowledge, Predicate logic, Procedural embedding, Production systems, Representation, Semantic nets)
- Labeling**, 296–301, 408–420
 compatibilities, 415
 consistent, inconsistent, optimal, 408, 410
 discrete, 410–415
 interpretation, 315, 353, 383, 408
 lines, 296–301
 scene, 408–430
 tree search, 412
- Lambertian surfaces, 94
- LANDSAT imagery, 46
- Laplacian operator, 76–79
- Laser rangefinders, 54 (*See also* Image, range)
- Learning, 315
- Least-squared error fitting, 484–488
- Legendre polynomial, 272
- Light:
 flux, 22
 stripe imaging, 22
 structured, 52–54
- Line:
 detection, Hough algorithm, 123
 drawing understanding, 265, 291–307
 drawings for motion understanding, 220–222
 equation, 475
 fitting, 484–487
 labeling, 296–301
 labeling by relaxation, 416–421, 428
 representations, 474–476
 segment, 232
 transformation, 480
- Linear:
 structure matching, 378–380
 transformation, 473
- Linear programming for relaxation, 420–430
- Linking edges (*See* Edge, linking)
- Local evidence in line drawings, 294
- Location networks, 335–340
- Logarithmic filtering, 73
- Logic (*See* Predicate logic)
- Long-term memory, 400
- Low-level:
 motion detection, 196
 vision, 3–6
- Manhattan metric**, 36
- Mass properties, 285
- Matched filtering and Hough algorithm, 124
- Matching, 315, 352, 398
 blocks world structures, 370–372
 clique-finding, 366–369, 375
 complexity, 359
 examples, 369–380
 expectation-driven, 353
 generalized cylinders, 372–375
 geometric structures, 354
 graphs, 355
 iconic structures, 353
 knowledge representation, 319
 line drawings to primitives, 293
 linear structures, 378–380
 metrics, 360–362, 375, 378
 metrical in line drawing understanding, 294
 nondeterministic algorithm, 359
 optic flow, 208
 optimization, 354
 pattern (*See* Pattern, matching in production systems)
 relational structures, 353, 355, 365–372
 rules in production system, 399–400
 templates and springs, 360–362
 topological, for line drawings, 293
- Matrix algebra, 471–474
- Matte reflectivity, 23
- Maximal clique, 366
- Medial axis transform, 252–253
- Membership array for region, 248
- Memory, long-term and short-term, 400
- Merging:
 branches for backtracking improvement, 364
 curve segmentation, 233
 regions, 155–160
- Message-passing (*See* Modules and messages)
- Metric:
 distance on raster, 36
 matching, 360–362, 375, 378
- Minimum:
 cost search for boundaries, 132
 spanning tree for clustering, 217
- Model:
 analogical and propositional, 319
 -driven control, 342

- human body for motion, 217–219
in knowledge representation, 9, 317
- Modules and messages, 500–502
- Modus Ponens and Modus Tollens, 388
- Moment of inertia, 255, 286, 473, 486
- Monocular imaging (*See* Imaging)
- Motion, 195 (*See also* Optic flow)
adjacency and collision detection, 201
body model, 214–219
common in sequence, 199, 208
consistent match, 199
continuity, 197
depth, 201
human body, 214–219
image sequences, 207–222
maximum velocity, 198
moving light displays, 214–217
observer, 206
rigid bodies, 197, 210–214
surface orientation and edge detection, 202
- Multi-
dimensional histograms, 153–155
modal sensor, 453–459
resolution images, 100–110 (*See also* Pyramid)
- Nearest-neighbor clustering**, 183
- Network:
interpreter, 326
representation, 391 (*See also* Semantic nets)
- Newton-Raphson, 493
- Node types in semantic nets, 324–329
- Noise, 65
- Nonclausal form, 385–387 (*See also* Predicate logic)
- Nondeterministic algorithms, 359
- Nonrigid:
body motion understanding, 214–217
solids, 264
- Nonstandard:
control structures, 499–507 (*See also* Control)
inference (*See* Extended inference)
- Normalized correlation, 68–70
- NP-completeness, 359
- NTSC, 34
- Object identification in line drawings**, 294
- Occluding:
contour, 101
line label, 296
- Oct-tree, 281, 287
- Office scene understanding, 453–459
- Operator (*See* Edge, Interest operator, Interior operator,
Closure operator for sets, Planning Relaxation,
etc.)
- Opponent processes, 33
- Optic flow, 65, 102–105, 196, 199–206
- Optical system analysis, 23
- Optimal labeling, 410
- Optimization:
linear programming, 424–425
matching, 354
- Orientation of surface (*See* Surface, orientation
calculation)
- Origami world, 300
- Orthicon, image, 47
- Orthographic projection (*See* Projection)
- PANDEMONIUM**, 345
- Parallel:
computation, 64, 341, 360
-iterative refinement in graph matching, 358, 378
-iterative relaxation, 64, 412
- Parameter:
optimization as matching, 354
space, 123
- Parametric:
clustering, 183
edge models, 80–81
line representation, 476
- Parseval's theorem, 256
- Partial:
knowledge in location networks, 339
matches, 360–362
- Partition:
feature space in pattern recognition, 181
Fourier space, 185
semantic nets, 331, 391
space, 150
- Pattern:
-directed invocation, 321, 504
matching data base (*See* Data, base)
matching in production systems, 399–400
recognition, 2, 181–184
texture, 166
- Performance, edge operators, 77, 83–84
- Periodic:
correlation, 67
function, 237
- Perspective (*See* Projection)
- Photography, 44–45
- Photometric stereo vision, 98
- Picture element (pixel), 36
- Piecewise polynomial, 240
- Plane:
curves and regions, 231
cutting in linear programming, 428
representation, 476
transformation, 480
- PLANNER**, 322

- Planning, 314–319, 347, 438–445
 cost of, 452
 costs, 445–459
 edge linking, 121–122
 example, 453–459
 extended and-or graphs, 451
 problem reduction, 394
 symbolic, 439–445
Point:
 at infinity, 20
 membership, 246
 projection (*See* Projection, perspective)
 spread function, 28
Polar and polar space coordinate systems, 465
Polygon:
 area calculation, 235
 images for motion, 220–222
 regions, 294
Polyhedra, 291
Polylines, 232–235
Pre- and postconditions in plans, 441
Predicate logic, 383–395
 clauses and semantic nets, 390–392
 decidability, 388
 extensions (*See* Extended inference)
 inference, 315
 knowledge representation, 392–395
 proof, 388
 strengths and weaknesses, 393–394
 syntax and semantics, 384–387
 truth table, 386
Predicates in location networks, 336
Primitive:
 solids in volume representation, 280, 282
 volumes for line drawing understanding, 293
Principal axes:
 for fitting data, 473, 486
 of inertia of region, 255
Procedural embedding of knowledge, 321, 322, 406, 430–434 (*See also* Active, knowledge)
Processing, image, 17
Product of inertia of solid, 286
Production systems, 315, 383, 396–408
 example, 401–406
 rule matching, 399
 strengths and weaknesses, 406–408
Projection:
 inverse perspective, 481–484
 orthographic, 20, 212
 perspective, 19–20, 214, 479
Proof of logic, 388–390
Propagation of constraints (*See* Constraint)
Property inheritance (*See* Inheritance of properties in knowledge representation)
Propositional model (*See* Representation)
Prototype situations, 334
Pruning for backtracking improvement, 364
Pseudo-inverse for fitting, 485, 487
Psi-s curve, 237, 238, 256
Pyramid, 15 (*See also* Quad tree; Strip trees)
 edge detection, 109
 grammars, 179
 multi-resolution, 65, 106, 249, 281
 thresholding, 155

Quad tree, 249–252
 area, 251
 generation, 250
Quantifier, logical, 385

Radiance and gray levels, 22–23
Radiograph understanding, 321, 344–346, 502–504
Range image (*see* Image)
Ray casting, 280
Reciprocity failure of film, 44
Reconstruction, two-dimensional image, 56–59
Recursive procedure, 244, 498
Reflectance, 93–95
 calculation, 73–75
 functions, common, 23, 94
 map, 96–98
 models, 22–24
Region, 149–150, 231
 data structures for, 158
 finding, by thresholding, 152–155
 finding, local techniques, 151
 growing and heuristic search, 157
 growing and semantics, 160–164
 homogeneous, 150
 partition, 150
 properties, 254–261, 376–377
 representation, 232–254
 by boundary, 232–247
 decompositions, 253
 medial axis transform, 252
 non-boundary, 247–254
 quad trees, 249
 spatial occupancy array, 247
 y-axis, 248
 splitting and merging, 155–160
Regular:
 sets and set operators, 231, 282–283
 tesselation, 170
Relational:
 functions and dynamic programming, 142
 models, 9, 314, 317
 semantic nets, 325, 330, 408
 structures and matching, 353, 355, 365–372
Relaxation, 64 (*See also* Constraint)

- algorithms, convergence properties, 414
- asynchronous, 412
- convergence, 414
- edge operators, 85–88
 - for optic flow, 208
- labelling, 408–430
- line labeling, 416–421, 428
- linear and non-linear operator example, 415–420
 - as linear programming, 420–430
- optical flow, 103
- serial and parallel iterative, 412
- shape from shading, 99–102
- stereo, 89
- Representation:**
 - actions in symbolic planning, 441
 - analogue and propositional, 9, 314, 319–322
 - conversion, 289
 - knowledge, 317–347 (*See Knowledge*)
 - matching, 352–355
 - predicate logic, 392–395
 - range of, 6–9
 - solids, 264
 - world in symbolic planning, 439
- Resolution**
 - gray levels, 35
 - pyramids, 15, 106–110
 - multiple in thresholding, 155
 - rule of inference, 389
 - spatial, 36–37
 - texture, 169
 - theorem proving, 388–390
- Response**, human spectral, 31
- Rewriting rule** (*See Rule, Grammar, Production system*)
- Rib-finding**, 321, 502–504
- Rigidity assumption** in motion understanding, 210
- Root finding**, 493
- Rotation rigid transformation**, 477
- Rotational sweep**, 274
- Rule:**
 - based systems, 397 (*See also Production systems*)
 - inference, 388
 - production system, 398
 - rewriting, 172, 383, 398
 - for texture generation, 172–181
- Sampling:**
 - image, 18, 35
 - tesselation, 35
 - theorem, 39
- Scaling matrix**, 478
- Scanner**, digitizing, 45
- Scene:**
 - irradiance, 73
 - labeling, 408–430
- Scope of quantifier**, 385
- Scoring plans**, 445–459
- Search:**
 - backtrack, 363–365, 372–375
 - depth-first, 412
 - graph, and region growing, 157
 - heuristic and variations, 132–136
 - tree, for labeling, 412
- Segmentation**, 7, 116 (*See also Edge; Line; Region*)
- Semantic nets**, 315–317, 323–340, 390, 396
 - arcs, 324
 - conversion with other representations, 332
 - examples, 334
 - indexing property, 324
 - inference, 327
 - nodes, 324, 328
 - partitions, 331
 - predicate logic, 390–392
 - relations in, 325, 330
 - semantics and partitions, 331
- Semantics:**
 - of images and region growing, 160–164
 - of logic, 385
- Semi-**
 - decidability of logic, 388
 - regular tessellation, 171
- Sentence of logic**, 384
- Serial:**
 - computation, 341
 - relaxation, 412
- Set**
 - membership classification, 284
 - operations in location networks, 336
 - operations in three dimensions, 284
- Shadow line label**, 296
- Shape**, 228 (*See also Three dimensional*)
 - detection, Hough algorithm, 128–131
 - grammar, 173–174
 - properties of region, 254–261, 376–377
 - recognition, 228–229
 - from shading, 65, 93, 99–102
 - from texture, 189–193
- Shift theorem**, 30
- Short-term memory**, 400
- Signature of region**, 257
- Silhouette detection**, Hough algorithm, 128–131
- Similarity:**
 - analysis in motion, 221
 - tree for regions, 261
- Simplex algorithm**, 423
- Simulation with knowledge representation**, 320
- Skeleton** (*See Medial axis transform*)
- Skew:**
 - symmetry, 306
 - transformation, 479

Skilled vision, 347
Skolem function, 387
Slope density function of boundary, 256
Slots in frames, 334
Smoothing image (*See* Consolidation)
Solid (*See* Three dimensional)
Spaces, color (*See* Color)
Spatial:
 representations (*See* Three dimensional)
 resolution, 36, 37
Spectral response, human eye, 31
Specular reflectivity, 23 (*See also* Reflectance, functions, common)
Spherical:
 coordinate system, 270, 466
 function, 270
 harmonic surfaces, 271–274, 355
 trigonometry, 469
 volume representation, 279
Splines (*See* B-spline)
Splitting:
 curve segmentation, 233–234
 regions, 155–160
Statistical:
 pattern recognition, 2, 181–184
 texture model, 168
Stereo vision, 20–22, 52–54, 88–93, 98
Stochastic grammars, 172 (*See also* Grammar)
Streaks and strokes, 134
Strip trees, 244–247
STRIPS, 396
Structural:
 matching, 355, 365–372
 models of texture, 170–181
Structured light, 52–54
Subgoals, 343, 438 (*See also* Goal achievement; Planning)
Subgraph isomorphism, 357–359, 375 (*See also* Graph)
Supposition value in relaxation, 415, 419
Surface:
 direction-magnitude set, 270
 functions on Gaussian sphere, 270
 geometry and line-drawings, 301–307
 orientation calculation, 64, 93–102, 189–193, 202–206
 patches, 269
 representations, 265–274
 set of faces, 265
 spherical harmonic, 271–274
 from volume calculation, 288–291
Sweep representations of solids, 274–280 (*See also* Three dimensional)
Syllogistic inference, 321
Symbolic planning, (*See* Planning)
Symmetry, skew, 306
Synchronization, 341
T vertices, 294
Tables, dynamic programming, 137–139
Tangent to space curve, 276
Television cameras, 46–52
Template:
 matching, 65
 and Springs for matching, 360–362
Term in logic, 384
Tesselation:
 geodesic, 492
 regular and semiregular for texture, 170–172
 sampling, 35
Texture, 166–168, 404
 correlation, 187
 element (texel), 166, 169, 188
 element placement tesselations, 170–172
 energy, frequency and spatial domain, 184–185
 features, 187–188
 gradient and surface orientation, 168, 189–193
 grammars, 172–181
 homogeneity, 188
 pattern recognition, 181–184
 resolution issues, 169
 shape and vanishing point from, 189–193
 statistical and structural models, 168, 170–181
Theorem:
 convolution, 25
 divergence, 288
 Parseval's, 26, 256
 sampling, 39
 shift, 30
Theorem proving by resolution, 388–390 (*See also* Predicate logic)
Thinning algorithms, 253 (*See also* Medial axis transform)
Three dimensional:
 contour following in, 146
 decomposition, 287
 edge operators, 81–83
 image, 88–93
 model, 320
 objects, several representation, 264, 274–283
 primitives for line drawing understanding, 293
 shapes, 228
 structure from image sequence, 210–214
 volume algorithms, 284
Threshold:
 determination from histogram, 152
 multi-dimensional space, 153
 multiple resolution, 155
 for region finding, 152–155
Token-type distinction, 328
Top-down (*See* Control and Inference)
Topological connectivity and matching, 293, 372–375

- Torsion of space curve, 276
Transformation:
 geometric, 477–481
 lines and planes, 480
Translation rigid transformation, 479
Translational sweep, 274
Tree:
 grammars, 175–178
 quad, 249–252
 rearrangement for backtracking improvement, 364
 search for labeling, 412
 strip, 244–247
Triangulation (*See* Stereo vision)
Trigonometry, plane and spherical, 468–469
Truth table, 386
Tumor detection, 344–346
Turtle algorithm for blob finding, 144
TV (*See* Television cameras)
Two-dimensional shape (*See* Shape)
Type-token distinction, 328
- Ultrasound**, 54, 273
Unambiguous representation, 231
Undecidability of logic, 388
Units, meaningful, 116 (*See* Segmentation)
Universal quantifiers, 385
Unsatisfiability in logic, 388–389
Utility theory and planning, 446, 453
- Vanishing point from texture**, 191
Variable nodes in semantic nets, 329
Variance, image, 69, 208
Vector algebra, 469–471
Velocity (*See* Motion, Optic flow)
Vengeance, 21
Vertex:
 catalogues, 298, 300
 types, 295
Vidicon, 48
Viewpoint, (*see* Projection)
Virtual nodes in semantic nets, 328
Vision:
 high- and low-level, 2–6
 as planning, 6–9
 system organization, 352
Volume (*See* Three dimensional)
- Waltz filtering**, 299 (*See also* Constraint; Labeling)
Well-formed formulae of logic, 385
Winged edge for surface representation, 266–267
Wire frame objects, 291
 from projections, 211
World states in planning, 439
- Y-axis region representation**, 248
YIQ color basis, 34